

Certificate

10 21 01

The product described below and production control has been found to comply with Building Regulations of the National Board of Housing Building and Planning (BBR) with reference to and under conditions described in this certificate.

Roof safety devices

Holder

Hultafors Group AB, Box 38, SE-517 21 Bollebygd
Organisation number: 556365-0752, Tel: +46 (0) 33 723 74 00
E-mail: info@hultaforsgroup.com, internet: www.wibeladders.com

Product

Roof safety devices made from minimum hot dip galvanised steel according to SS-EN ISO 1461 or aluminium. The products can also be provided with minimum 80 µm coat of paint in various shades.

Designation, part numbers and installation instruction are provided in the product list.

Intended use

Permanently fixed access and protective devices for roofs.

Approval

The products have been found to meet the requirements in the following sections of Boverket Building Regulations (BBR) issued by the National Board of Housing, Building and Planning: BBR

Roof safety, General	8:241
Roof safety, Access devices	8:242
Roof safety, Protective devices	8:243

Associated documents

Produktlista dated 2016-06-22.

Installation instructions compiled by SP Certification, dated 2016-06-28.

Control

The factory production control (FPC) is monitored by an independent inspection body. Control agreement: Ref no. 210-15-0172, inspection body: SP Technical Research Institute of Sweden.

When the building proprietor performs inspection at the building site, he shall check the markings to ensure that the correct products have been supplied and that they are used in accordance with the requirements stated in the approval and the associated documents.

Manufacturer

Production control includes the following site:

Hultafors AB, Nässjö.



Marking

The products are to be marked at the factory. The marking consists of text on every product/packing supplied and includes:

Approval holder
P-mark
Certification body
Product type designation
Certificate number
Consecutive manufacture no./date of production
Inspection body

Hultafors Group AB


SP Certifiering
ID no.
10 21 01
no./date
SP

Basis for approval

Report 3P06736rev, 5P07700, and 3P05168rev from SP Technical Research Institute of Sweden.
Certification overview dated 2016-06-22.
Drawings according to list 2016-06-03.

Comments

The products are verified according to applicable sections of EN 12951 (permanently fixed roof ladders).

The products comply with applicable sections of SS 83 13 40 (ladders for vertical fixing), SS 83 13 42 (slide guards for ladders).

The corrosion protection is suitable for corrosivity class C4, according to in SS-EN ISO 12944-2 described class, based on a deemed expected lifetime of 15 years.

This certificate supersedes the previous certificate with the same number dated 2011-06-30.

Period of validity

This certificate is valid until 2021-06-27.

SP Technical Research Institute of Sweden **Certification**

Leif Lundqvist

Marie Karlsson

